

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
09/926,072	11/15/2001	Kiyoshi Okamura	108915-00003	9487
7590 06/16/2004			EXAMINER	
Arent Fox Kintner Plotkin & Kahn 1050 Connecticut Avenue NW			WYROZEBSKI LEE, KATARZYNA I	
Suite 400			ART UNIT	PAPER NUMBER
Washington, DC 20036-5339			!714	
			DATE MAILED: 06/16/2004	<b>!</b>

Please find below and/or attached an Office communication concerning this application or proceeding.

Application/Control Number: 09/926,072

Art Unit: 1714

Authorization for this examiner's amendment was given in a telephone interview

Page 2

with Mr. Carpenter on June 7, 2004.

An examiner's amendment to the record appears below.

In claim 12, line 2 the words "solvents are" have been replaced with "solvent is".

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Edward J. Cain whose telephone number is (571) 272-

1118. The examiner can normally be reached on M-F from 10:00 to 6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Vasu Jagannathan, can be reached on 571 272-1119. The fax phone

number for the organization where this application or proceeding is assigned is 703-

872-9306.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

Edward J. Cain Primagy Examiner

Art Unit 1714